

# Ecophon Akusto™ Wall Edge

A


Ecophon Akusto<sup>TM</sup> Wall A has an exposed profile system with a variety of surface options. This wall absorber pairs with a sound absorbing ceiling to achieve excellent acoustic properties in the room.



#### **SYSTEM RANGE**




Size, mm	
	2700x1200
Channel trim	•
Thinline Profile	•
WP Profile	•
Thickness	40
Inst. Diagr.	M353, M504, M509





Akusto Wall A system with Connect Channel trim and Connect T24 Main



Akusto Wall A system with Connect Channel trim and Connect Recessed



Akusto Wall system with Connect Thinline profiles




### **Acoustic**

### **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Frequency Hz

- ···· Akusto Wall A Akutex FT 40 mm, 43 mm o.d.s.
- Akusto Wall A Texona 40 mm, 43 mm o.d.s.
- --- Akusto Wall A Super G 40 mm, 43 mm o.d.s. o.d.s = overall depth of system

	THK o.d.s. mm		$lpha_{ m p'}$ Practical sound absorption coefficient				$\alpha_{\scriptscriptstyle{W}}$	Sound absorption class		
	mm O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	₩,	Sound absorption class	
Akutex FT	40	43	0.20	0.70	1.00	1.00	1.00	1.00	1.00	А
Texona	40	43	0.15	0.65	1.00	1.00	1.00	1.00	1.00	А
Super G	40	43	0.15	0.65	1.00	1.00	1.00	1.00	0.95	А

THK	AC(1.5)
mm	Articulation Class, ASTM E1111, ASTM E1110
40	230



## **Indoor Air Quality**

Certificate / Label		
Eurofins Indoor Air Comfort®	IAC	IAC Gold
French VOC	А	A+
Finnish M I	•	•









## **Environmental Footprint**

	kg CO2 equiv/m²
Akusto Wall A - Texona	4,74
Akusto Wall A - Texona/Plant	5,22
Akusto Wall A - Akutex FT	3,96
Akusto Wall A - Akutex FT/Plant	4,23
Akusto Wall A - Super G	6,21
Akusto Wall A - Super G/Plant	5,86

Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804



#### Circularity

Minimum post-consumer recycled content	53%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182.
Europe	EN 13501-1	A2-s1,d0	non-combustible according to ETV 130-1162.



### **Humidity Resistance**

Product		According to EN 13964:2014
Standard	Class C, RH 95% and 30°C	
Plant	Class A, RH 70% and 25°C	



### Visual appearance

Akusto Wall in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



## Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Super G and Akutex FT surfaces). Weekly dusting and vacuum cleaning (Texona surface) as required.



### **Use of disinfectants**

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.



#### Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they are likely to be hit regularly. In such cases a protective net in front of the system is recommended.



## System weight

The weight of the system (including profile system) should be approximately 4 kg/m<sup>2</sup>.



## **Mechanical properties**

No additional live load is allowed.






Surface	M-sketch	
Super G	M353	Fulfills

Tested and classified to fulfil the requirements of DIN 18032-3, equivalent to 1A according to EN13964. Texona surface has moderate impact resistance. Please note: Where the panels are subjected to frequent blows and impacts e.g. behind goal mouths, protection in form of e.g restraining nets or wooden slats is required.





#### CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




	Size, mm	
	2700×1200	
Ecophon Akusto Wall A/Super G	0,31/m²	
? Connect Channel trim, fixed at 300 mm centres. Connect Direct fixing plate is placed inside at each fixing point if the panel is not supported by the floor.	as required	
3 Connect Direct fixing plate	as required	
Connect Installation screw MVL (for use in plasterboard or timber)	as required	
Connect Fixing bracket, fixed at 400 mm centres.	as required	
Connect Recessed profile plus	as required	
Connect Installation screw BR (2000 pcs)	as required	
$\Delta$ Min. overall depth of system: 44 mm	-	











Accesories for adjusting electrical installations are available in electricity retail stores




Live load/load bearing capacity



	Size, mm 2700×1200	
Ecophon Akusto Wall A	0,31/m²	
2 Connect Channel trim, fixed at 300 mm centres. Connect Direct fixing plate is placed inside at each fixing point if the panel is not supported by the floor.	as required	
Alt. 1 Connect Channel trim corner	as required	
4 Alt. 2 Connect Installation screw BR	as required	
5 Alt. 1 Connect T24 Main runner, (Installation: kept in position with the Channel trims)	as required	
5 Alt. 1 Connect Recessed profile, (Installation: kept in position with the Channel trims)	as required	
7 Connect WP Space bar, L=2400 mm	as required	
$\Delta$ Min, overall depth of system: $44$ mm	-	
Connect Installation screw MVL (for use in plasterboard or timber)	as required	



See Quantity specification







Connect Channel trim corner for 44mm profile




Live load/load bearing capacity




		Size, mm
		2700×1200
1	Ecophon Akusto Wall A	0,31/m²
2	Connect Thinline Profile, L=2644 mm	as required
3	Connect Thinline Corner	as required
1	Connect Thinline Locking Clip	as required
5	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
5	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	





Detail of panel with Thinline frame



Detail of Thinline corner



Live load/load bearing capacity



# Ecophon Akusto™ Wall Edge

Ecophon Akusto™ Wall C has a concealed grid and bevelled edge to create a narrow groove between each panel. Available in a variety of surface options. Excellent room acoustic properties are achieved when this wall absorber is paired with a sound absorbing ceiling.




#### **SYSTEM RANGE**



Size, mm	
	2700x600
Thinline Profile	•
WP Profile	•
Thickness	40
Inst. Diagr.	M497, M354, M355, M508









Wall Panel C system with Connect WP profile and external corner




### Acoustic

### **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D^{\prime}}$  Practical sound absorption coefficient



- ···· Akusto Wall C Akutex FT 40 mm, 43 mm o.d.s.
- Akusto Wall C Texona 40 mm, 43 mm o.d.s.
- --- Akusto Wall C Super G 40 mm, 43 mm o.d.s. o.d.s = overall depth of system

Frequency Hz

	THK	o.d.s. mm	$lpha_{ m p}$ , Practical sound absorption coefficient					$\alpha_{_{\!\scriptscriptstyle{ m W}}}$	Sound absorption class	
	mm	O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		Sound absorption class
Akutex FT	40	43	0.25	0.80	0.95	1.00	1.00	1.00	1.00	А
Texona	40	43	0.20	0.75	1.00	1.00	1.00	1.00	1.00	А
Super G	40	43	0.25	0.75	1.00	1.00	1.00	1.00	1.00	А

THK	AC(1.5)
mm	Articulation Class, ASTM E1111, ASTM E1110
40	240



## **Indoor Air Quality**

Certificate / Label	Standard	Plant
Eurofins Indoor Air Comfort®	IAC	IAC Gold
French VOC	А	A+
Finnish M1	•	•









## **Environmental Footprint**

	kg CO2 equiv/m²
Akusto Wall C - Texona	7,7
Akusto Wall C - Texona/Plant	8,3
Akusto Wall C - Akutex FT	7,4
Akusto Wall C - Akutex FT/Plant	7,9
Akusto Wall C - Super G	9,0
Akusto Wall C - Super G/Plant	9,7

Life-cycle stages A1 to C4 from EPD, in conformity with ISO  $14025 \ / \ EN \ 15804$ 



#### Circularity

Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



### **Humidity Resistance**

Product		According to EN 13964:2014
Standard	Class C, RH 95% and 30°C	•
Plant	Class A, RH 70% and 25°C	



### Visual appearance

Akusto Wall in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



# Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Super G and Akutex FT surface). Weekly dusting and vacuum cleaning (Texona) as required.



### **Use of disinfectants**

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.



#### Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they are likely to be hit regularly. In such cases a protective net in front of the system is recommended.



## System weight

The weight of the system (including profile system) should be approximately 5 kg/m<sup>2</sup>.



## **Mechanical properties**

No additional live load is allowed.




### **Impact Resistance**

Surface	M-sketch		Tested and classified to fulfil the requirements of DIN 18032-
Super G	M354	Fulfills	3, equivalent to 1A according to EN13964







Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect Thinline Profile, L=2644 mm	as required
3	Connect Thinline Corner	as required
ı	Connect Fixing Plate installed 3 per panel lenght	as required
i	Connect Spline	as required
)	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
,	Connect Thinline Splice, used to extend Thinline profiles where needed.	as required
}	Connect Thinline Space Bar	as required
	$\Delta$ Overall depth of system: 45 mm	











Detail of Thinline corner




Live load/load bearing capacity




		Size, mm
		2700×600
1	Akusto Wall C (Akusto Wall C/Super G for Ball Impact Resistance)	0,62/m²
2	Connect Installation screw MVL (for use in plasterboard or timber)	as required
3	Connect WP Space bar, L=2400 mm	as required
4	Connect WP Profile, L=2687 mm, fixed at 400 mm centres	as required
5	Connect WP External corner mounted in Connect WP Profile	as required
6	Connect WP Profile splice, used to extend WP profiles where needed.	as required
7	Connect Spline	as required
8	Connect Fixing Plate installed 3 per panel lenght	as required
	$\Delta$ Min. overall depth of system: 44 mm	






Detail of installation



Detail of WP Profile splice





Live load/load bearing capacity




© Ecophon Group

		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect WP Profile, L=2687 mm, fixed at 400 mm centres	as required
3	Connect Installation screw MVL (for use in plasterboard or timber)	as required
4	Alt. Connect Fixing bracket, fixed at 400 mm centres.	as required
5	Connect Fixing Plate installed 3 per panel lenght	as required
6	Connect WP Profile splice, used to extend WP profiles where needed.	as required
7	Connect WP External corner mounted in Connect WP Profile	as required
	Δ Min. overall depth of system: 44 mm	-











Detail of lower connection





Live load/load bearing capacity




		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Connect Thinline Profile, L=2644 mm	as required
	Connect Thinline Corner	as required
	Connect Fixing Plate installed 3 per panel lenght	as required
	Connect Spline	as required
	Installation screw, installed at 400 mm centres (select fastener according to wall material)	as required
	Connect Thinline Space Bar	as required
	Δ Overall depth of system: 45 mm	









Detail of Thinline corner



Live load/load bearing capacity



# Ecophon Akusto™ One

Ecophon Akusto<sup>TM</sup> One is a panel for wall applications offered in square, rectangle or circle shapes. It offers a multitude of design possibilities thanks to the many different formats and colours.



#### **SYSTEM RANGE**

40	Size, mm	Ø592	592×592	Ø792	Ø1192	1192×292	1192×592
	Special Fixing	•	•	•	•	•	•
_	Thickness	40	40	40	40	40	40
	Inst. Diagr.	M372	M371	M372	M372	M371	M371

© Ecophon Group Ecophon Akusto<sup>TM</sup> One, 2022-05-05







Installation with Connect™ One trim and Connect™ Absorber Anchor One



Installation with Connect™ One hook fixing




#### **Acoustic**

The values in the diagram refer to a single unit. If the units are arranged in a cluster with distances between units less than 0,5 metres, the Aeq per unit will be slightly reduced.

# **Sound Absorption:**


Test results according to EN ISO 354.

 $A_{\rm eq}$ , Equivalent absorption area per unit (m $^2$  sabin)



- Akusto One Ø592, 48 mm o.d.s.
- ···· Akusto One Ø792, 48 mm o.d.s.
- --- Akusto One Ø1192, 48 mm o.d.s.

o.d.s = overall depth of system



Frequency Hz

- Akusto One 592x592, 48 mm o.d.s.
- Akusto One 1192x292, 48 mm o.d.s.
- --- Akusto One 1192x592, 48 mm o.d.s. o.d.s = overall depth of system

Frequency Hz

	THK	o.d.s. mm	A <sub>eq</sub> , Equivalent absorption area per unit (m² sabin)						
	mm	0.d.s. IIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	
Ø592	40	48	0.0	0.2	0.5	0.6	0.4	0.4	
Ø792	40	48	0.1	0.4	0.8	0.8	0.7	0.6	
Ø1192	40	48	0.3	0.9	1.5	1.6	1.4	1.4	
592x592	40	48	0.1	0.3	0.6	0.6	0.5	0.5	
1192x292	40	48	0.1	0.3	0.6	0.6	0.5	0.5	
1192x592	40	48	0.2	0.6	1.0	1.1	1.0	0.9	



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•







Ecophon Akusto™ One, 2022-05-05 © Ecophon Group



#### **Environmental Footprint**

	kg CO2 equiv/m²
Akusto One - Akutex FT	<i>7</i> ,35
Akusto One - Texona	9,42

Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804



### Circularity

Minimum post-consumer recycled content	61%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



### **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



#### Visual appearance

Akusto Wall in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



#### Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Akutex FT surface). Weekly dusting and vacuum cleaning (Texona) as required.



#### Accessibility

The tiles are easily demountable.



#### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



## System weight

The weight of the system (depending on size and including profile system) should be approximately 2,0 - 4,5 kg.




## **Mechanical properties**

No additional live load is allowed.




## CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




		Size, mm		
		592×592	1192×292	1192×592
1	Akusto One	2,8/m²	2,8/m²	1,4/m²
2	Alt. 1 Connect One trim (wall distance included)	1/panel	1/panel	1/panel
3	Alt, 1 Connect Absorber Anchor One	2/panel	2/panel	2/panel
4	Alt, 2 Connect One hook fixing	2/panel	2/panel	2/panel
	$\Delta$ Min. overall depth of system: $\Delta 1$ 48 mm $/$ $\Delta 2$ 44 mm	-	-	-




See Quantity specification




Connect One trim can be divided into two suspension trims



Connect Absorber Anchor One used together with Connect One trim




Connect One hook fixing




CHANTITY	SPECIFICATION (EXCL.	WASTAGEL


		Size, mm	Size, mm		
		Ø592	Ø792	Ø1192	
1	Akusto One	3,5/m²	2/m²	0,9/m²	
2	Connect One fixing	1/panel	1/panel	1/panel	
	$\Delta$ Min. overall depth of system: 40 mm		-	-	



See Quantity specification



Connect One fixing available in 4 different colours



Installation with Connect One fixing



# Ecophon Akusto™ Wall C Akutex HS

Ecophon Akusto<sup>TM</sup> Wall C Akutex HS has a concealed grid and bevelled edge to create a narrow groove between each panel. Suitable for swimming pool areas, it's compatible with high humidity, corrosivity and occasional direct water.



#### **SYSTEM RANGE**



Size, mm	2700x600
Thinline Profile	•
Thickness	40
Inst. Diagr.	M505C4







System
System

System


Acoustic



## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Akusto Wall C Akutex HS 40 mm, 60 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

THK	o do mm	α <sub>p</sub> , Practical sound absorption coefficient				α,,,	Sound absorption class		
mm	O.d.s. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	o. <sub>w</sub>	Journal absorption class
40	60	0.30	0.85	0.95	0.95	1.00	0.95	1.00	A



# **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	А
Finnish M1	•









# **Environmental Footprint**

 $kg CO_2 equiv/m^2$ Akusto Wall C - Akutex HS 7,77

Life-cycle stages A1 to C4 from EPD, in conformity with ISO  $14025 \ / \ EN \ 15804$ 



#### **Circularity**

Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable



## Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



#### Visual appearance

White 500, nearest NCS colour sample S 0500-N, 84% light reflectance.



## Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



#### Accessibility

The tiles are not demountable except in selected installation diagrams. See quantity specification for more information.



### Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. The systems should not be placed behind goals or similar areas where they are likely to be hit regularly. In such cases a protective net in front of the system is recommended.




### **Mechanical properties**

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




		Size, mm
		2700×600
1	Akusto Wall C Akutex HS	0,62/m²
2	Connect Thinline Profile, L=2644 mm	as required
3	Connect Thinline Corner	as required
4	Connect Spline	as required
5	Connect Thinline Fixing C4, for panel support every 1000 mm	as required
6	Installation screw C4, installed at 200 mm centres (select fastener according to wall material)	as required
7	Connect Thinline Splice, used to extend Thinline profiles where needed.	as required
8	Connect Thinline Space Bar	as required
9	Connect Distance C4, installed at 200 mm centres	as required
	$\Delta$ Overall depth of system: 55 mm	-



See Quantity Specification




Detail of panel with Thinline system with distance



Detail of Thinline corner

# Ecophon Akusto™ Screen

Ecophon Akusto<sup>TM</sup> Screen has an exposed profile system. The size of the product is 1500 x 1200mm, thickness 40 mm. Available in Texona surface. Suitable for open space offices. Combined with a sound absorbing ceiling to achieve excellent acoustic properties in the room.



## **SYSTEM RANGE**

Size, mm	1500×1200
Freestanding	•
Thickness	40
Inst. Diagr.	M526

© Ecophon Group Ecophon Akusto™ Screen, 2022-04-04







Akusto Floor foot

Akusto Floor corner


Akusto Screen system



#### **Acoustic**


# **Sound Absorption:**

Sound absorption and sound attenuation test results according to ISO 20189.



- Akusto Screen, size 1500x1200 mm

Frequency Hz



- Akusto Screen, size 1500x1200 mm

Frequency Hz

	THK A <sub>eq</sub> , Equivalent absorption area per unit (m <sup>2</sup> sabin)									
	mm	1 125 Hz 250 Hz 500 Hz 1000 Hz 2000 Hz 4000 Hz								
1500x1200	40	0.8	1.5	2.5	3.2	3.5	3.4			

	THK	Screen sound attenuation ΔLs (dB)						\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
	mm	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	Weighted screen sound attenuation (dB)	
1500x1200	40	4.0	7.0	6.0	8.0	12.0	16.0	10.0	



# **Indoor Air Quality**

Certificate / Label

French VOC, A





# **Humidity Resistance**

Class A, relative humidity 70% and 25  $^{\circ}$  C, according to EN 13964:2014

© Ecophon Group Ecophon Akusto™ Screen, 2022-04-04



#### Circularity

Fully recyclable.



## Visual appearance

Texona in white has high light reflectance. For more information regarding visual appearance of the various surfaces: See Ecophon Colours and surfaces.



#### Cleanability

Weekly dusting and vacuum cleaning.



## **Use of disinfectants**

Texona Ginger, Sea salt, Thyme, Oyster and Garlic withstand the frequent use of ethanol (70%)-based disinfectants. Dampen a soft polyester microfiber cloth with the solution and wipe the surface in gentle circular movements.




#### Installation

Installed according to the installation guide that is delivered with the product.



# **Mechanical properties**

The product is tested according to EN14073-2 and EN1023.



		Size, mm
		1500x1200
1	Akusto Screen	


© Ecophon Group Ecophon Akusto™ Screen, 2022-04-04



# Ecophon Akusto<sup>™</sup> Wall C Extra Bass

Ecophon Akusto™ Wall C Extra Bass has a concealed grid and bevelled edge to create a narrow groove between each panel. Available in a variety

of surface options. The wall absorber has excellent sound absorption qualities from low to high sound frequencies. Best room acoustic properties are achieved when used together with a sound absorbing ceiling.




#### **SYSTEM RANGE**



Size, mm	2700x600
Akusto Extra Bass (40mm)	•
Thickness	40
Inst. Diagr.	M535, M547







Akusto Wall C Extra Bass system from



Akusto Wall C




#### **Acoustic**

## **Sound Absorption:**

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.

 $lpha_{\scriptscriptstyle D}$ , Practical sound absorption coefficient



Frequency Hz

Akusto Wall C Extra Bass 80 mm, 80 mm o.d.s.
 o.d.s = overall depth of system

	THK	o.d.s. mm		α <sub>p</sub> , Pro	ictical sound	d absorption	coefficient		α	Sound absorption class
	mm	O.G.S. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	₩,	Journal absorption class
Extra Bass	80	80	0.65	1.00	0.95	1.00	1.00	1.00	1.00	А

THK mm	o.d.s. mm	NRC	SAA
80	80	1.00	1.00



## **Indoor Air Quality**

Certificate / Label	
Eurofins Indoor Air Comfort®	IAC
French VOC	Α
Finnish M1	•









## **Environmental Footprint**

Akusto Wall C Extra Bass/Texona	10,8
Akusto Wall C Extra Bass/Akutex FT	10,4

Life-cycle stages A1 to C4 from EPD, in conformity with ISO  $14025 \ / \ EN \ 15804$ 



## Circularity

Minimum post-consumer recycled content	60%
Recyclability	Fully recyclable



#### Fire safety

Country	Standard	Class	The glass wool core of the tiles is tested and classified as
Europe	EN 13501-1	A2-s1,d0	non-combustible according to EN ISO 1182.



## **Humidity Resistance**

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



## Visual appearance

Akusto Wall in white has high light reflectance. Light reflectance and nearest NCS colour sample for all the different colours: See Ecophon Colours and surfaces.



### Cleanability

Daily dusting, vacuum cleaning and weekly wet wiping (Akutex FT surface). Weekly dusting and vacuum cleaning (Texona) as required.



#### Accessibility

The tiles are non-demountable



#### Installation

Installed according to installation diagrams, installation guides and drawing aid.



### System weight

The weight of the system depends on the dimensions of the installation.  $2700 \times 2700$  mm installations has a system weight of approximately  $7 \text{ kg/m}^2$  (including profile system).




## **Mechanical properties**

No additional live load is allowed.





### CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Akusto Extra Bass	1,25/m²
3	Connect Shadow Profile	as required
4	Connect Shadow Corner (Incl. washer for leveling)	as required
5	Connect Ambit fixing installed at 1000 mm centres	as required
6	Connect Spline	as required
7	Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
8	Connect Shadow Splice. Used to extend profiles where needed.	as required










Detail of panel with Thinline frame





Live load/load bearing capacity



© Ecophon Group

		Size, mm
		2700×600
1	Akusto Wall C	0,62/m²
2	Akusto Extra Bass	1,25/m²
3	Connect Shadow Profile	as required
4	Connect Shadow Corner (Incl. washer for leveling)	as required
5	Connect Ambit fixing installed at 1000 mm centres	as required
6	Installation screw, installed at 200 mm centres (select fastener according to wall material)	as required
7	Connect Spline	as required
8	Connect Shadow Splice. Used to extend profiles where needed.	as required





Detail of panel with Thinline frame



Live load/load bearing capacity